

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**2. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Physical activity</b>			
High Schools	68	35	27 - 44
Middle Schools	94	47	40 - 54
Junior/Senior High Schools	43	39	31 - 49
<b>All Schools</b>	<b>205</b>	<b>41</b>	<b>36 - 46</b>
<b>b. Nutrition</b>			
High Schools	66	43	34 - 53
Middle Schools	92	44	37 - 52
Junior/Senior High Schools	43	37	28 - 47
<b>All Schools</b>	<b>201</b>	<b>42</b>	<b>38 - 48</b>
<b>c. Tobacco-use prevention</b>			
High Schools	68	45	36 - 55
Middle Schools	91	51	43 - 58
Junior/Senior High Schools	42	48	39 - 56
<b>All Schools</b>	<b>201</b>	<b>48</b>	<b>43 - 53</b>
<b>d. Asthma</b>			
High Schools	65	16	11 - 25
Middle Schools	89	10	6 - 16
Junior/Senior High Schools	40	18	10 - 29
<b>All Schools</b>	<b>194</b>	<b>14</b>	<b>11 - 18</b>

NA=Not available

N=Unweighted number of observations

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**3. Percentage of schools that have a copy of district's wellness policy.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>Yes</b>			
High Schools	73	99	94 - 100
Middle Schools	96	99	96 - 100
Junior/Senior High Schools	43	100	NA
<b>All Schools</b>	<b>212</b>	<b>99</b>	<b>97 - 100</b>
<b>No</b>			
High Schools	73	1	0 - 6
Middle Schools	96	0	NA
Junior/Senior High Schools	43	0	NA
<b>All Schools</b>	<b>212</b>	<b>0</b>	<b>0 - 2</b>
<b>District does not have wellness policy</b>			
High Schools	73	0	NA
Middle Schools	96	1	0 - 4
Junior/Senior High Schools	43	0	NA
<b>All Schools</b>	<b>212</b>	<b>0</b>	<b>0 - 2</b>

NA=Not available  
N=Unweighted number of observations

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**4. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	73	93	87 - 96
Middle Schools	97	90	84 - 93
Junior/Senior High Schools	44	89	80 - 94
<b>All Schools</b>	<b>214</b>	<b>91</b>	<b>87 - 93</b>

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**5. Percentage of schools that have one or more than one group (e.g., a school health council, committee, or team) that offers guidance on the development of policies or coordinates activities on health topics.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	72	72	64 - 79
Middle Schools	94	81	75 - 85
Junior/Senior High Schools	45	57	48 - 66
<b>All Schools</b>	<b>211</b>	<b>73</b>	<b>69 - 77</b>

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**6. Percentage of schools that have the following groups represented on any school health council, committee, or team.\***

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. School administration</b>			
High Schools	50	96	90 - 98
Middle Schools	71	94	89 - 97
Junior/Senior High Schools	25	100	NA
<b>All Schools</b>	<b>146</b>	<b>96</b>	<b>93 - 98</b>
<b>b. Health education teachers</b>			
High Schools	52	86	77 - 92
Middle Schools	70	86	78 - 91
Junior/Senior High Schools	25	96	85 - 99
<b>All Schools</b>	<b>147</b>	<b>88</b>	<b>83 - 91</b>
<b>c. Physical education teachers</b>			
High Schools	50	81	71 - 88
Middle Schools	69	91	85 - 95
Junior/Senior High Schools	25	96	84 - 99
<b>All Schools</b>	<b>144</b>	<b>89</b>	<b>84 - 92</b>
<b>d. Mental health or social services staff</b>			
High Schools	47	46	36 - 56
Middle Schools	69	45	37 - 53
Junior/Senior High Schools	21	38	23 - 56
<b>All Schools</b>	<b>137</b>	<b>44</b>	<b>38 - 50</b>
<b>e. Nutrition or food service staff</b>			
High Schools	48	88	79 - 93
Middle Schools	71	80	72 - 87
Junior/Senior High Schools	23	78	62 - 89
<b>All Schools</b>	<b>142</b>	<b>83</b>	<b>77 - 87</b>
<b>f. Health services staff (e.g., school nurse)</b>			
High Schools	49	68	59 - 75
Middle Schools	71	76	68 - 82
Junior/Senior High Schools	24	83	70 - 92
<b>All Schools</b>	<b>144</b>	<b>74</b>	<b>69 - 79</b>

\*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

NA=Not available

N=Unweighted number of observations

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**6. Percentage of schools that have the following groups represented on any school health council, committee, or team.\***

	N	Percent	95% Confidence Interval
<b>g. Maintenance and transportation staff</b>			
High Schools	46	26	18 - 36
Middle Schools	66	16	11 - 24
Junior/Senior High Schools	21	24	13 - 38
<b>All Schools</b>	<b>133</b>	<b>21</b>	<b>16 - 26</b>
<b>h. Student body</b>			
High Schools	47	74	66 - 82
Middle Schools	68	66	58 - 73
Junior/Senior High Schools	23	65	50 - 77
<b>All Schools</b>	<b>138</b>	<b>69</b>	<b>63 - 74</b>
<b>i. Parents or families of students</b>			
High Schools	47	70	59 - 79
Middle Schools	66	71	63 - 78
Junior/Senior High Schools	23	69	54 - 82
<b>All Schools</b>	<b>136</b>	<b>70</b>	<b>65 - 76</b>
<b>j. Community</b>			
High Schools	46	65	54 - 75
Middle Schools	66	62	52 - 70
Junior/Senior High Schools	21	66	48 - 81
<b>All Schools</b>	<b>133</b>	<b>64</b>	<b>57 - 70</b>
<b>k. Local health departments, agencies, or organizations</b>			
High Schools	44	40	30 - 51
Middle Schools	67	35	28 - 44
Junior/Senior High Schools	21	38	25 - 52
<b>All Schools</b>	<b>132</b>	<b>37</b>	<b>32 - 43</b>
<b>l. Faith-based organizations</b>			
High Schools	44	36	26 - 46
Middle Schools	67	31	23 - 40
Junior/Senior High Schools	21	24	13 - 41
<b>All Schools</b>	<b>132</b>	<b>31</b>	<b>26 - 38</b>

\*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

NA=Not available

N=Unweighted number of observations

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**6. Percentage of schools that have the following groups represented on any school health council, committee, or team.\***

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>m. Businesses</b>			
High Schools	44	38	28 - 48
Middle Schools	67	34	25 - 44
Junior/Senior High Schools	20	50	33 - 66
<b>All Schools</b>	<b>131</b>	<b>38</b>	<b>32 - 45</b>
<b>n. Local government</b>			
High Schools	43	32	23 - 43
Middle Schools	67	28	21 - 37
Junior/Senior High Schools	21	38	26 - 52
<b>All Schools</b>	<b>131</b>	<b>31</b>	<b>26 - 37</b>

\*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

NA=Not available

N=Unweighted number of observations

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**7. Percentage of schools that require school staff to receive professional development on HIV, STD, or pregnancy prevention issues and resources for the following groups.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Ethnic/racial minority youth at high risk</b>			
High Schools	72	29	22 - 38
Middle Schools	96	33	28 - 39
Junior/Senior High Schools	44	16	10 - 24
<b>All Schools</b>	<b>212</b>	<b>28</b>	<b>24 - 32</b>
<b>b. Youth who participate in drop-out prevention, alternative education, or GED programs</b>			
High Schools	73	57	50 - 64
Middle Schools	96	37	31 - 43
Junior/Senior High Schools	45	35	27 - 44
<b>All Schools</b>	<b>214</b>	<b>44</b>	<b>40 - 48</b>

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**8. Percentage of schools that have a student-led club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	72	21	14 - 29
Middle Schools	93	14	9 - 20
Junior/Senior High Schools	45	6	3 - 14
<b>All Schools</b>	<b>210</b>	<b>15</b>	<b>11 - 19</b>

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**9. Percentage of schools that have adopted a policy that addresses each of the following issues for students or staff with HIV infection or AIDS.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Attendance of students with HIV infection</b>			
High Schools	68	33	26 - 42
Middle Schools	92	39	31 - 47
Junior/Senior High Schools	44	36	26 - 47
<b>All Schools</b>	<b>204</b>	<b>36</b>	<b>32 - 42</b>
<b>b. Procedures to protect HIV-infected students and staff from discrimination</b>			
High Schools	67	40	32 - 48
Middle Schools	93	41	33 - 49
Junior/Senior High Schools	44	45	34 - 57
<b>All Schools</b>	<b>204</b>	<b>41</b>	<b>36 - 47</b>
<b>c. Maintaining confidentiality of HIV-infected students and staff</b>			
High Schools	67	47	39 - 56
Middle Schools	92	53	46 - 61
Junior/Senior High Schools	44	45	35 - 57
<b>All Schools</b>	<b>203</b>	<b>50</b>	<b>45 - 55</b>
<b>d. Worksite safety</b>			
High Schools	68	57	49 - 64
Middle Schools	92	57	49 - 64
Junior/Senior High Schools	44	48	37 - 59
<b>All Schools</b>	<b>204</b>	<b>55</b>	<b>50 - 60</b>
<b>e. Confidential counseling for HIV-infected students</b>			
High Schools	67	39	30 - 48
Middle Schools	92	45	37 - 52
Junior/Senior High Schools	44	39	30 - 48
<b>All Schools</b>	<b>203</b>	<b>41</b>	<b>36 - 46</b>
<b>f. Communication of the policy to students, school staff, and parents</b>			
High Schools	68	36	28 - 45
Middle Schools	92	38	31 - 46
Junior/Senior High Schools	44	34	24 - 46
<b>All Schools</b>	<b>204</b>	<b>37</b>	<b>32 - 42</b>

NA=Not available

N=Unweighted number of observations

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**9. Percentage of schools that have adopted a policy that addresses each of the following issues for students or staff with HIV infection or AIDS.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>g. Adequate training about HIV infection for school staff</b>			
High Schools	67	26	20 - 34
Middle Schools	91	28	21 - 36
Junior/Senior High Schools	44	27	18 - 39
<b>All Schools</b>	<b>202</b>	<b>27</b>	<b>23 - 32</b>
<b>h. Procedures for implementing the policy</b>			
High Schools	67	32	25 - 41
Middle Schools	92	40	33 - 48
Junior/Senior High Schools	44	36	27 - 47
<b>All Schools</b>	<b>203</b>	<b>37</b>	<b>32 - 42</b>

NA=Not available

N=Unweighted number of observations

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**10. Percentage of schools that require all staff who teach health education topics to be certified, licensed, or endorsed by the state in health education.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Yes</b>			
High Schools	72	96	91 - 98
Middle Schools	94	76	71 - 81
Junior/Senior High Schools	46	93	85 - 97
<b>All Schools</b>	<b>212</b>	<b>87</b>	<b>84 - 90</b>
<b>b. No</b>			
High Schools	72	4	2 - 9
Middle Schools	94	16	12 - 21
Junior/Senior High Schools	46	7	3 - 15
<b>All Schools</b>	<b>212</b>	<b>10</b>	<b>8 - 13</b>
<b>c. Not applicable</b>			
High Schools	72	0	NA
Middle Schools	94	7	4 - 12
Junior/Senior High Schools	46	0	NA
<b>All Schools</b>	<b>212</b>	<b>3</b>	<b>2 - 5</b>

NA=Not available

N=Unweighted number of observations

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**11. Percentage of schools that require physical education for students in any of grades 6 through 12.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	71	55	47 - 63
Middle Schools	97	55	47 - 62
Junior/Senior High Schools	46	69	58 - 79
<b>All Schools</b>	<b>214</b>	<b>58</b>	<b>53 - 63</b>

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**12. Percentage of all schools that taught a required physical education course in each of the following grades.**

	N	Percent	95% Confidence Interval
<b>a. Sixth grade</b>			
High Schools	NA	NA	2 - 14
Middle Schools	85	47	39 - 55
Junior/Senior High Schools	31	55	41 - 68
<b>All Schools</b>	<b>116</b>	<b>49</b>	<b>42 - 56</b>
<b>b. Seventh grade</b>			
High Schools	NA	NA	2 - 14
Middle Schools	94	46	39 - 53
Junior/Senior High Schools	40	52	42 - 63
<b>All Schools</b>	<b>134</b>	<b>48</b>	<b>42 - 54</b>
<b>c. Eighth grade</b>			
High Schools	NA	NA	2 - 14
Middle Schools	95	47	40 - 54
Junior/Senior High Schools	43	56	45 - 66
<b>All Schools</b>	<b>138</b>	<b>50</b>	<b>44 - 56</b>
<b>d. Ninth grade</b>			
High Schools	68	47	38 - 56
Middle Schools	47	2	1 - 8
Junior/Senior High Schools	44	40	31 - 51
<b>All Schools</b>	<b>159</b>	<b>32</b>	<b>27 - 37</b>
<b>e. Tenth grade</b>			
High Schools	69	43	35 - 52
Middle Schools	NA	NA	NA
Junior/Senior High Schools	43	39	29 - 50
<b>All Schools</b>	<b>112</b>	<b>42</b>	<b>35 - 48</b>
<b>f. Eleventh grade</b>			
High Schools	69	43	35 - 52
Middle Schools	NA	NA	NA
Junior/Senior High Schools	43	37	27 - 48
<b>All Schools</b>	<b>112</b>	<b>41</b>	<b>34 - 47</b>
<b>g. Twelfth grade</b>			
High Schools	69	43	35 - 52
Middle Schools	NA	NA	NA
Junior/Senior High Schools	42	35	25 - 46
<b>All Schools</b>	<b>111</b>	<b>40</b>	<b>34 - 47</b>

NA=Not available

N=Unweighted number of observations

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**13. Percentage of schools in which students can be exempted from taking a required physical education course for one grading period or longer for any of the following reasons.\***

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Enrollment in other courses</b>			
High Schools	37	38	28 - 49
Middle Schools	52	27	19 - 37
Junior/Senior High Schools	29	32	21 - 45
<b>All Schools</b>	<b>118</b>	<b>31</b>	<b>26 - 38</b>
<b>b. Participation in school sports</b>			
High Schools	37	64	54 - 74
Middle Schools	52	48	38 - 57
Junior/Senior High Schools	30	64	52 - 74
<b>All Schools</b>	<b>119</b>	<b>57</b>	<b>51 - 63</b>
<b>c. Participation in other school activities</b>			
High Schools	37	64	53 - 75
Middle Schools	52	53	43 - 63
Junior/Senior High Schools	30	43	32 - 56
<b>All Schools</b>	<b>119</b>	<b>54</b>	<b>48 - 60</b>
<b>d. Participation in community sports activities</b>			
High Schools	36	8	4 - 17
Middle Schools	52	9	5 - 17
Junior/Senior High Schools	29	4	1 - 13
<b>All Schools</b>	<b>117</b>	<b>8</b>	<b>5 - 12</b>
<b>e. Religious reasons</b>			
High Schools	36	63	50 - 75
Middle Schools	50	50	40 - 60
Junior/Senior High Schools	28	46	33 - 60
<b>All Schools</b>	<b>114</b>	<b>53</b>	<b>46 - 60</b>
<b>f. Long-term physical or medical disability</b>			
High Schools	37	86	76 - 93
Middle Schools	52	83	74 - 89
Junior/Senior High Schools	30	83	73 - 90
<b>All Schools</b>	<b>119</b>	<b>84</b>	<b>79 - 88</b>
<b>g. Cognitive disability</b>			
High Schools	35	68	55 - 78
Middle Schools	52	48	39 - 58
Junior/Senior High Schools	29	55	41 - 69
<b>All Schools</b>	<b>116</b>	<b>56</b>	<b>49 - 63</b>

\*Among those schools that require physical education for students in any of grades 6 through 12.

NA=Not available

N=Unweighted number of observations

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**13. Percentage of schools in which students can be exempted from taking a required physical education course for one grading period or longer for any of the following reasons.\***

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>h. High physical fitness competency test score</b>			
High Schools	34	9	4 - 19
Middle Schools	52	7	4 - 15
Junior/Senior High Schools	28	4	1 - 13
<b>All Schools</b>	<b>114</b>	<b>7</b>	<b>4 - 11</b>
<b>i. Participation in vocational training</b>			
High Schools	35	19	12 - 30
Middle Schools	52	11	6 - 19
Junior/Senior High Schools	29	18	9 - 31
<b>All Schools</b>	<b>116</b>	<b>15</b>	<b>11 - 21</b>
<b>j. Participation in community service activities</b>			
High Schools	35	6	2 - 14
Middle Schools	52	7	4 - 15
Junior/Senior High Schools	29	7	3 - 17
<b>All Schools</b>	<b>116</b>	<b>7</b>	<b>4 - 11</b>

\*Among those schools that require physical education for students in any of grades 6 through 12.

NA=Not available

N=Unweighted number of observations

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**14. Percentage of schools in which all staff who teach physical education are certified, licensed, or endorsed by the state in physical education.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Yes</b>			
High Schools	73	96	91 - 98
Middle Schools	97	93	89 - 95
Junior/Senior High Schools	46	91	83 - 96
<b>All Schools</b>	<b>216</b>	<b>93</b>	<b>91 - 95</b>
<b>b. No</b>			
High Schools	73	1	0 - 6
Middle Schools	97	6	4 - 10
Junior/Senior High Schools	46	9	4 - 17
<b>All Schools</b>	<b>216</b>	<b>5</b>	<b>3 - 7</b>
<b>c. Not Applicable</b>			
High Schools	73	3	1 - 7
Middle Schools	97	1	0 - 4
Junior/Senior High Schools	46	0	NA
<b>All Schools</b>	<b>216</b>	<b>1</b>	<b>1 - 3</b>

NA=Not available

N=Unweighted number of observations

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**15. Percentage of schools in which physical education teachers or specialists received professional development on physical education during the past two years.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	72	73	66 - 79
Middle Schools	97	77	71 - 83
Junior/Senior High Schools	46	76	68 - 83
<b>All Schools</b>	<b>215</b>	<b>76</b>	<b>72 - 79</b>

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**16. Percentage of schools that provide those who teach physical education with the following materials.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Goals, objectives, and expected outcomes for physical education</b>			
High Schools	69	90	83 - 94
Middle Schools	97	94	89 - 96
Junior/Senior High Schools	46	91	83 - 96
<b>All Schools</b>	<b>212</b>	<b>92</b>	<b>89 - 94</b>
<b>b. A chart describing the annual scope and sequence of instruction for physical education</b>			
High Schools	70	60	51 - 69
Middle Schools	95	76	69 - 81
Junior/Senior High Schools	46	54	43 - 65
<b>All Schools</b>	<b>211</b>	<b>66</b>	<b>61 - 70</b>
<b>c. Plans for how to assess student performance in physical education</b>			
High Schools	70	65	56 - 72
Middle Schools	96	80	74 - 85
Junior/Senior High Schools	45	68	58 - 77
<b>All Schools</b>	<b>211</b>	<b>72</b>	<b>68 - 76</b>
<b>d. A written physical education curriculum</b>			
High Schools	70	90	84 - 94
Middle Schools	96	91	85 - 94
Junior/Senior High Schools	45	91	83 - 96
<b>All Schools</b>	<b>211</b>	<b>91</b>	<b>87 - 93</b>

NA=Not available

N=Unweighted number of observations

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**17. Percentage of schools that offer opportunities for all students to participate in intramural activities or physical activity clubs.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	64	52	43 - 60
Middle Schools	89	57	49 - 64
Junior/Senior High Schools	40	40	30 - 52
<b>All Schools</b>	<b>193</b>	<b>52</b>	<b>47 - 56</b>

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**18. Percentage of schools that have adopted a policy prohibiting tobacco use.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	73	100	NA
Middle Schools	96	98	94 - 99
Junior/Senior High Schools	46	100	NA
<b>All Schools</b>	<b>215</b>	<b>99</b>	<b>97 - 100</b>

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**19 (Students). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Cigarettes</b>			
High Schools	70	100	NA
Middle Schools	92	98	94 - 99
Junior/Senior High Schools	45	100	NA
<b>All Schools</b>	<b>207</b>	<b>99</b>	<b>97 - 100</b>
<b>b. Smokeless tobacco</b>			
High Schools	70	100	NA
Middle Schools	92	98	94 - 99
Junior/Senior High Schools	45	100	NA
<b>All Schools</b>	<b>207</b>	<b>99</b>	<b>97 - 100</b>
<b>c. Cigars</b>			
High Schools	70	100	NA
Middle Schools	92	98	94 - 99
Junior/Senior High Schools	45	98	91 - 99
<b>All Schools</b>	<b>207</b>	<b>98</b>	<b>97 - 99</b>
<b>d. Pipes</b>			
High Schools	70	100	NA
Middle Schools	92	98	94 - 99
Junior/Senior High Schools	45	98	91 - 99
<b>All Schools</b>	<b>207</b>	<b>98</b>	<b>97 - 99</b>

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**19 (Faculty/Staff). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Cigarettes</b>			
High Schools	70	100	NA
Middle Schools	92	97	93 - 99
Junior/Senior High Schools	44	100	NA
<b>All Schools</b>	<b>206</b>	<b>99</b>	<b>97 - 99</b>
<b>b. Smokeless tobacco</b>			
High Schools	69	100	NA
Middle Schools	92	97	93 - 99
Junior/Senior High Schools	44	100	NA
<b>All Schools</b>	<b>205</b>	<b>99</b>	<b>97 - 99</b>
<b>c. Cigars</b>			
High Schools	69	100	NA
Middle Schools	92	97	93 - 99
Junior/Senior High Schools	44	98	91 - 99
<b>All Schools</b>	<b>205</b>	<b>98</b>	<b>96 - 99</b>
<b>d. Pipes</b>			
High Schools	69	100	NA
Middle Schools	92	97	93 - 99
Junior/Senior High Schools	44	98	91 - 99
<b>All Schools</b>	<b>205</b>	<b>98</b>	<b>96 - 99</b>

NA=Not available

N=Unweighted number of observations

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**19 (Visitors). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Cigarettes</b>			
High Schools	69	98	94 - 100
Middle Schools	91	97	93 - 99
Junior/Senior High Schools	43	100	NA
<b>All Schools</b>	<b>203</b>	<b>98</b>	<b>96 - 99</b>
<b>b. Smokeless tobacco</b>			
High Schools	69	97	92 - 99
Middle Schools	91	96	91 - 98
Junior/Senior High Schools	43	100	NA
<b>All Schools</b>	<b>203</b>	<b>97</b>	<b>95 - 98</b>
<b>c. Cigars</b>			
High Schools	69	98	94 - 100
Middle Schools	92	96	91 - 98
Junior/Senior High Schools	43	98	91 - 99
<b>All Schools</b>	<b>204</b>	<b>97</b>	<b>95 - 98</b>
<b>d. Pipes</b>			
High Schools	69	98	94 - 100
Middle Schools	92	96	91 - 98
Junior/Senior High Schools	43	98	91 - 99
<b>All Schools</b>	<b>204</b>	<b>97</b>	<b>95 - 98</b>

NA=Not available

N=Unweighted number of observations

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**20 (Students). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. During school hours</b>			
High Schools	71	100	NA
Middle Schools	92	98	94 - 99
Junior/Senior High Schools	45	100	NA
<b>All Schools</b>	<b>208</b>	<b>99</b>	<b>97 - 100</b>
<b>b. During non-school hours</b>			
High Schools	69	93	87 - 96
Middle Schools	89	81	74 - 86
Junior/Senior High Schools	45	82	73 - 89
<b>All Schools</b>	<b>203</b>	<b>85</b>	<b>81 - 88</b>

NA=Not available

N=Unweighted number of observations

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**20 (Faculty/Staff). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. During school hours</b>			
High Schools	71	100	NA
Middle Schools	92	95	90 - 97
Junior/Senior High Schools	45	100	NA
<b>All Schools</b>	<b>208</b>	<b>98</b>	<b>96 - 99</b>
<b>b. During non-school hours</b>			
High Schools	69	91	85 - 95
Middle Schools	89	73	66 - 79
Junior/Senior High Schools	45	82	73 - 89
<b>All Schools</b>	<b>203</b>	<b>82</b>	<b>78 - 85</b>

NA=Not available

N=Unweighted number of observations

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**20 (Visitors). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. During school hours</b>			
High Schools	71	99	94 - 100
Middle Schools	92	95	90 - 97
Junior/Senior High Schools	44	100	NA
<b>All Schools</b>	<b>207</b>	<b>97</b>	<b>95 - 98</b>
<b>b. During non-school hours</b>			
High Schools	69	88	82 - 93
Middle Schools	89	74	67 - 80
Junior/Senior High Schools	44	82	73 - 88
<b>All Schools</b>	<b>202</b>	<b>81</b>	<b>77 - 84</b>

NA=Not available

N=Unweighted number of observations

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**21 (Students). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. In school buildings</b>			
High Schools	71	100	NA
Middle Schools	92	98	94 - 99
Junior/Senior High Schools	45	100	NA
<b>All Schools</b>	<b>208</b>	<b>99</b>	<b>97 - 100</b>
<b>b. Outside on school grounds, including parking lots and playing fields</b>			
High Schools	71	100	NA
Middle Schools	92	98	94 - 99
Junior/Senior High Schools	45	100	NA
<b>All Schools</b>	<b>208</b>	<b>99</b>	<b>97 - 100</b>
<b>c. On school buses or other vehicles used to transport students</b>			
High Schools	70	100	NA
Middle Schools	92	98	94 - 99
Junior/Senior High Schools	45	100	NA
<b>All Schools</b>	<b>207</b>	<b>99</b>	<b>97 - 100</b>
<b>d. At off-campus, school-sponsored events</b>			
High Schools	71	97	92 - 99
Middle Schools	90	95	91 - 98
Junior/Senior High Schools	45	93	85 - 97
<b>All Schools</b>	<b>206</b>	<b>96</b>	<b>93 - 97</b>

NA=Not available

N=Unweighted number of observations

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**21 (Faculty/Staff). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. In school buildings</b>			
High Schools	70	100	NA
Middle Schools	90	98	94 - 99
Junior/Senior High Schools	45	100	NA
<b>All Schools</b>	<b>205</b>	<b>99</b>	<b>97 - 100</b>
<b>b. Outside on school grounds, including parking lots and playing fields</b>			
High Schools	70	100	NA
Middle Schools	90	97	92 - 98
Junior/Senior High Schools	45	100	NA
<b>All Schools</b>	<b>205</b>	<b>99</b>	<b>97 - 99</b>
<b>c. On school buses or other vehicles used to transport students</b>			
High Schools	70	100	NA
Middle Schools	90	98	94 - 99
Junior/Senior High Schools	45	100	NA
<b>All Schools</b>	<b>205</b>	<b>99</b>	<b>97 - 100</b>
<b>d. At off-campus, school-sponsored events</b>			
High Schools	71	96	91 - 98
Middle Schools	88	89	84 - 92
Junior/Senior High Schools	45	91	82 - 96
<b>All Schools</b>	<b>204</b>	<b>92</b>	<b>89 - 94</b>

NA=Not available

N=Unweighted number of observations

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**21 (Visitors). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.**

	N	Percent	95% Confidence Interval
<b>a. In school buildings</b>			
High Schools	69	100	NA
Middle Schools	90	97	93 - 98
Junior/Senior High Schools	44	100	NA
<b>All Schools</b>	<b>203</b>	<b>99</b>	<b>97 - 99</b>
<b>b. Outside on school grounds, including parking lots and playing fields</b>			
High Schools	69	100	NA
Middle Schools	90	95	91 - 98
Junior/Senior High Schools	44	100	NA
<b>All Schools</b>	<b>203</b>	<b>98</b>	<b>96 - 99</b>
<b>c. On school buses or other vehicles used to transport students</b>			
High Schools	69	100	NA
Middle Schools	90	97	93 - 98
Junior/Senior High Schools	44	100	NA
<b>All Schools</b>	<b>203</b>	<b>99</b>	<b>97 - 99</b>
<b>d. At off-campus, school-sponsored events</b>			
High Schools	70	81	73 - 87
Middle Schools	87	83	77 - 87
Junior/Senior High Schools	44	84	74 - 91
<b>All Schools</b>	<b>201</b>	<b>83</b>	<b>78 - 86</b>

NA=Not available

N=Unweighted number of observations

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**21N. Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits use of cigarettes, smokeless tobacco, cigars, and pipes by students, faculty/staff, and visitors; during school hours and during non-school hours; in school buildings, outside on school grounds, on school buses or other vehicles used to transport students, and at off-campus, school-sponsored events.\***

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	66	73	64 - 80
Middle Schools	86	60	52 - 67
Junior/Senior High Schools	44	68	56 - 78
<b>All Schools</b>	<b>196</b>	<b>66</b>	<b>61 - 71</b>

\*Responses to question 19 (a, b, c, and d), question 20 (a and b), and question 21 (a, b, c, and d) are all "yes."  
 NA=Not available  
 N=Unweighted number of observations

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**22. Percentage of schools that have procedures to inform each of the following groups about the tobacco-use prevention policy that prohibits their use of tobacco.\***

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Students</b>			
High Schools	71	100	NA
Middle Schools	90	95	90 - 97
Junior/Senior High Schools	45	100	NA
<b>All Schools</b>	<b>206</b>	<b>98</b>	<b>96 - 99</b>
<b>b. Faculty and staff</b>			
High Schools	71	99	94 - 100
Middle Schools	90	95	90 - 97
Junior/Senior High Schools	45	100	NA
<b>All Schools</b>	<b>206</b>	<b>97</b>	<b>95 - 98</b>
<b>c. Visitors</b>			
High Schools	68	97	92 - 99
Middle Schools	90	92	87 - 96
Junior/Senior High Schools	44	98	91 - 99
<b>All Schools</b>	<b>202</b>	<b>95</b>	<b>93 - 97</b>

\*Among those schools that have adopted a policy prohibiting tobacco use.

NA=Not available

N=Unweighted number of observations

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**23. Percentage of schools that have a tobacco-use prevention policy that includes guidelines on what actions the school should take when students are caught smoking cigarettes.\***

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	72	99	94 - 100
Middle Schools	90	97	93 - 99
Junior/Senior High Schools	45	100	NA
<b>All Schools</b>	<b>207</b>	<b>98</b>	<b>96 - 99</b>

\*Among those schools that have adopted a policy prohibiting tobacco use.  
 NA=Not available  
 N=Unweighted number of observations

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**24. Percentage of schools in which the following person is responsible for enforcing the tobacco-use prevention policy.\***

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. No single individual is responsible</b>			
High Schools	64	51	42 - 61
Middle Schools	80	51	44 - 59
Junior/Senior High Schools	41	36	26 - 47
<b>All Schools</b>	<b>185</b>	<b>48</b>	<b>43 - 53</b>
<b>b. Principal</b>			
High Schools	64	32	24 - 42
Middle Schools	80	47	40 - 55
Junior/Senior High Schools	41	64	53 - 74
<b>All Schools</b>	<b>185</b>	<b>46</b>	<b>41 - 51</b>
<b>c. Assistant principal</b>			
High Schools	64	13	8 - 20
Middle Schools	80	1	0 - 5
Junior/Senior High Schools	41	0	NA
<b>All Schools</b>	<b>185</b>	<b>5</b>	<b>3 - 8</b>
<b>d. Other school administrator</b>			
High Schools	64	0	NA
Middle Schools	80	0	NA
Junior/Senior High Schools	41	0	NA
<b>All Schools</b>	<b>185</b>	<b>0</b>	<b>NA</b>
<b>e. Other school faculty or staff member</b>			
High Schools	64	3	1 - 9
Middle Schools	80	0	NA
Junior/Senior High Schools	41	0	NA
<b>All Schools</b>	<b>185</b>	<b>1</b>	<b>0 - 3</b>

\*Among those schools that have adopted a policy prohibiting tobacco use.

NA=Not available

N=Unweighted number of observations

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**25. Percentage of schools in which the following help determine what actions are taken when students are caught smoking cigarettes.**

	N	Percent	95% Confidence Interval
<b>a. Zero tolerance</b>			
High Schools	73	89	82 - 93
Middle Schools	97	81	75 - 86
Junior/Senior High Schools	46	79	68 - 86
<b>All Schools</b>	<b>216</b>	<b>83</b>	<b>79 - 87</b>
<b>b. Effect or severity of the violation</b>			
High Schools	73	8	5 - 14
Middle Schools	97	19	14 - 26
Junior/Senior High Schools	46	21	14 - 31
<b>All Schools</b>	<b>216</b>	<b>16</b>	<b>13 - 20</b>
<b>c. Grade level of student</b>			
High Schools	73	5	3 - 11
Middle Schools	97	14	9 - 19
Junior/Senior High Schools	46	15	9 - 25
<b>All Schools</b>	<b>216</b>	<b>11</b>	<b>8 - 15</b>
<b>d. Repeat offender status</b>			
High Schools	73	25	18 - 32
Middle Schools	97	22	16 - 29
Junior/Senior High Schools	46	30	21 - 41
<b>All Schools</b>	<b>216</b>	<b>24</b>	<b>20 - 29</b>
<b>e. None of these</b>			
High Schools	73	0	NA
Middle Schools	97	2	1 - 6
Junior/Senior High Schools	46	0	NA
<b>All Schools</b>	<b>216</b>	<b>1</b>	<b>0 - 2</b>

NA=Not available

N=Unweighted number of observations

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**26 (Never). Percentage of schools that NEVER take the following actions when students are caught smoking cigarettes.**

	N	Percent	95% Confidence Interval
<b>a. Parents or guardians are notified</b>			
High Schools	73	0	NA
Middle Schools	95	1	0 - 4
Junior/Senior High Schools	46	0	NA
<b>All Schools</b>	<b>214</b>	<b>0</b>	<b>0 - 2</b>
<b>b. Referred to a school counselor</b>			
High Schools	72	15	10 - 22
Middle Schools	91	6	3 - 10
Junior/Senior High Schools	44	18	12 - 27
<b>All Schools</b>	<b>207</b>	<b>12</b>	<b>9 - 15</b>
<b>c. Referred to a school administrator</b>			
High Schools	72	0	NA
Middle Schools	92	0	NA
Junior/Senior High Schools	46	0	NA
<b>All Schools</b>	<b>210</b>	<b>0</b>	<b>NA</b>
<b>d. Encouraged, but not required, to participate in an assistance, education, or cessation program</b>			
High Schools	72	53	46 - 60
Middle Schools	92	31	25 - 39
Junior/Senior High Schools	45	49	39 - 60
<b>All Schools</b>	<b>209</b>	<b>43</b>	<b>39 - 47</b>
<b>e. Required to participate in an assistance, education, or cessation program</b>			
High Schools	71	77	70 - 83
Middle Schools	91	47	39 - 55
Junior/Senior High Schools	45	71	61 - 80
<b>All Schools</b>	<b>207</b>	<b>63</b>	<b>58 - 68</b>
<b>f. Referred to legal authorities</b>			
High Schools	72	42	34 - 50
Middle Schools	91	38	31 - 45
Junior/Senior High Schools	44	60	49 - 69
<b>All Schools</b>	<b>207</b>	<b>44</b>	<b>39 - 49</b>

NA=Not available

N=Unweighted number of observations

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**26 (Never). Percentage of schools that NEVER take the following actions when students are caught smoking cigarettes.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>g. Placed in detention</b>			
High Schools	72	46	39 - 53
Middle Schools	90	33	27 - 41
Junior/Senior High Schools	43	28	19 - 39
<b>All Schools</b>	<b>205</b>	<b>37</b>	<b>32 - 41</b>
<b>h. Not allowed to participate in extra-curricular activities or interscholastic sports</b>			
High Schools	72	32	25 - 39
Middle Schools	93	22	17 - 27
Junior/Senior High Schools	46	20	14 - 28
<b>All Schools</b>	<b>211</b>	<b>25</b>	<b>21 - 29</b>
<b>i. Given in-school suspension</b>			
High Schools	72	30	25 - 37
Middle Schools	91	20	14 - 26
Junior/Senior High Schools	44	11	6 - 21
<b>All Schools</b>	<b>207</b>	<b>22</b>	<b>18 - 25</b>
<b>j. Suspended from school</b>			
High Schools	72	7	4 - 13
Middle Schools	91	2	1 - 6
Junior/Senior High Schools	45	9	4 - 17
<b>All Schools</b>	<b>208</b>	<b>5</b>	<b>4 - 8</b>
<b>k. Expelled from school</b>			
High Schools	71	64	55 - 73
Middle Schools	93	58	51 - 65
Junior/Senior High Schools	44	73	63 - 82
<b>All Schools</b>	<b>208</b>	<b>64</b>	<b>59 - 68</b>
<b>l. Reassigned to an alternative school</b>			
High Schools	72	36	30 - 43
Middle Schools	93	29	23 - 36
Junior/Senior High Schools	44	37	26 - 49
<b>All Schools</b>	<b>209</b>	<b>33</b>	<b>29 - 38</b>

NA=Not available

N=Unweighted number of observations

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**26 (Rarely). Percentage of schools that RARELY take the following actions when students are caught smoking cigarettes.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Parents or guardians are notified</b>			
High Schools	73	1	0 - 6
Middle Schools	95	1	0 - 4
Junior/Senior High Schools	46	0	NA
<b>All Schools</b>	<b>214</b>	<b>1</b>	<b>0 - 3</b>
<b>b. Referred to a school counselor</b>			
High Schools	72	36	29 - 42
Middle Schools	91	24	19 - 31
Junior/Senior High Schools	44	25	18 - 34
<b>All Schools</b>	<b>207</b>	<b>28</b>	<b>25 - 33</b>
<b>c. Referred to a school administrator</b>			
High Schools	72	0	NA
Middle Schools	92	0	NA
Junior/Senior High Schools	46	0	NA
<b>All Schools</b>	<b>210</b>	<b>0</b>	<b>NA</b>
<b>d. Encouraged, but not required, to participate in an assistance, education, or cessation program</b>			
High Schools	72	19	14 - 26
Middle Schools	92	23	17 - 30
Junior/Senior High Schools	45	25	16 - 36
<b>All Schools</b>	<b>209</b>	<b>22</b>	<b>18 - 26</b>
<b>e. Required to participate in an assistance, education, or cessation program</b>			
High Schools	71	13	8 - 20
Middle Schools	91	27	22 - 34
Junior/Senior High Schools	45	18	11 - 28
<b>All Schools</b>	<b>207</b>	<b>20</b>	<b>17 - 24</b>
<b>f. Referred to legal authorities</b>			
High Schools	72	27	20 - 35
Middle Schools	91	29	24 - 36
Junior/Senior High Schools	44	11	6 - 20
<b>All Schools</b>	<b>207</b>	<b>24</b>	<b>21 - 29</b>

NA=Not available

N=Unweighted number of observations

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**26 (Rarely). Percentage of schools that RARELY take the following actions when students are caught smoking cigarettes.**

	N	Percent	95% Confidence Interval
<b>g. Placed in detention</b>			
High Schools	72	10	6 - 16
Middle Schools	90	15	10 - 20
Junior/Senior High Schools	43	9	5 - 18
<b>All Schools</b>	<b>205</b>	<b>12</b>	<b>9 - 15</b>
<b>h. Not allowed to participate in extra-curricular activities or interscholastic sports</b>			
High Schools	72	22	15 - 31
Middle Schools	93	23	18 - 29
Junior/Senior High Schools	46	22	16 - 29
<b>All Schools</b>	<b>211</b>	<b>22</b>	<b>19 - 26</b>
<b>i. Given in-school suspension</b>			
High Schools	72	8	5 - 15
Middle Schools	91	8	5 - 12
Junior/Senior High Schools	44	11	6 - 20
<b>All Schools</b>	<b>207</b>	<b>9</b>	<b>6 - 12</b>
<b>j. Suspended from school</b>			
High Schools	72	10	6 - 15
Middle Schools	91	3	1 - 7
Junior/Senior High Schools	45	16	10 - 24
<b>All Schools</b>	<b>208</b>	<b>8</b>	<b>6 - 11</b>
<b>k. Expelled from school</b>			
High Schools	71	26	18 - 34
Middle Schools	93	27	21 - 34
Junior/Senior High Schools	44	18	11 - 29
<b>All Schools</b>	<b>208</b>	<b>25</b>	<b>20 - 29</b>
<b>l. Reassigned to an alternative school</b>			
High Schools	72	33	26 - 41
Middle Schools	93	32	26 - 38
Junior/Senior High Schools	44	32	22 - 43
<b>All Schools</b>	<b>209</b>	<b>32</b>	<b>28 - 37</b>

NA=Not available

N=Unweighted number of observations

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**26 (Sometimes). Percentage of schools that SOMETIMES take the following actions when students are caught smoking cigarettes.**

	N	Percent	95% Confidence Interval
<b>a. Parents or guardians are notified</b>			
High Schools	73	7	4 - 13
Middle Schools	95	1	0 - 4
Junior/Senior High Schools	46	13	7 - 23
<b>All Schools</b>	<b>214</b>	<b>6</b>	<b>4 - 9</b>
<b>b. Referred to a school counselor</b>			
High Schools	72	32	25 - 40
Middle Schools	91	36	29 - 43
Junior/Senior High Schools	44	41	30 - 52
<b>All Schools</b>	<b>207</b>	<b>36</b>	<b>31 - 40</b>
<b>c. Referred to a school administrator</b>			
High Schools	72	2	0 - 6
Middle Schools	92	0	NA
Junior/Senior High Schools	46	0	NA
<b>All Schools</b>	<b>210</b>	<b>1</b>	<b>0 - 2</b>
<b>d. Encouraged, but not required, to participate in an assistance, education, or cessation program</b>			
High Schools	72	21	15 - 28
Middle Schools	92	28	22 - 35
Junior/Senior High Schools	45	20	13 - 29
<b>All Schools</b>	<b>209</b>	<b>24</b>	<b>20 - 28</b>
<b>e. Required to participate in an assistance, education, or cessation program</b>			
High Schools	71	6	3 - 11
Middle Schools	91	16	12 - 23
Junior/Senior High Schools	45	11	6 - 18
<b>All Schools</b>	<b>207</b>	<b>11</b>	<b>9 - 15</b>
<b>f. Referred to legal authorities</b>			
High Schools	72	20	15 - 27
Middle Schools	91	17	12 - 22
Junior/Senior High Schools	44	27	19 - 38
<b>All Schools</b>	<b>207</b>	<b>20</b>	<b>17 - 24</b>

NA=Not available

N=Unweighted number of observations

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**26 (Sometimes). Percentage of schools that SOMETIMES take the following actions when students are caught smoking cigarettes.**

	N	Percent	95% Confidence Interval
<b>g. Placed in detention</b>			
High Schools	72	28	21 - 36
Middle Schools	90	33	26 - 42
Junior/Senior High Schools	43	42	32 - 53
<b>All Schools</b>	<b>205</b>	<b>33</b>	<b>29 - 38</b>
<b>h. Not allowed to participate in extra-curricular activities or interscholastic sports</b>			
High Schools	72	35	28 - 43
Middle Schools	93	39	32 - 46
Junior/Senior High Schools	46	41	35 - 48
<b>All Schools</b>	<b>211</b>	<b>38</b>	<b>34 - 42</b>
<b>i. Given in-school suspension</b>			
High Schools	72	29	22 - 38
Middle Schools	91	41	34 - 48
Junior/Senior High Schools	44	48	37 - 58
<b>All Schools</b>	<b>207</b>	<b>38</b>	<b>34 - 43</b>
<b>j. Suspended from school</b>			
High Schools	72	33	27 - 40
Middle Schools	91	44	37 - 51
Junior/Senior High Schools	45	49	39 - 58
<b>All Schools</b>	<b>208</b>	<b>41</b>	<b>37 - 46</b>
<b>k. Expelled from school</b>			
High Schools	71	10	6 - 17
Middle Schools	93	13	9 - 18
Junior/Senior High Schools	44	9	5 - 15
<b>All Schools</b>	<b>208</b>	<b>11</b>	<b>8 - 14</b>
<b>l. Reassigned to an alternative school</b>			
High Schools	72	31	24 - 39
Middle Schools	93	35	29 - 42
Junior/Senior High Schools	44	32	23 - 42
<b>All Schools</b>	<b>209</b>	<b>33</b>	<b>29 - 38</b>

NA=Not available

N=Unweighted number of observations

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**26 (Always). Percentage of schools that ALWAYS or ALMOST ALWAYS take the following actions when students are caught smoking cigarettes.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Parents or guardians are notified</b>			
High Schools	73	92	85 - 95
Middle Schools	95	97	93 - 99
Junior/Senior High Schools	46	87	77 - 93
<b>All Schools</b>	<b>214</b>	<b>93</b>	<b>90 - 95</b>
<b>b. Referred to a school counselor</b>			
High Schools	72	17	12 - 24
Middle Schools	91	34	27 - 42
Junior/Senior High Schools	44	16	9 - 26
<b>All Schools</b>	<b>207</b>	<b>24</b>	<b>20 - 29</b>
<b>c. Referred to a school administrator</b>			
High Schools	72	98	94 - 100
Middle Schools	92	100	NA
Junior/Senior High Schools	46	100	NA
<b>All Schools</b>	<b>210</b>	<b>99</b>	<b>98 - 100</b>
<b>d. Encouraged, but not required, to participate in an assistance, education, or cessation program</b>			
High Schools	72	7	4 - 12
Middle Schools	92	18	13 - 24
Junior/Senior High Schools	45	6	3 - 12
<b>All Schools</b>	<b>209</b>	<b>11</b>	<b>9 - 15</b>
<b>e. Required to participate in an assistance, education, or cessation program</b>			
High Schools	71	4	2 - 9
Middle Schools	91	9	5 - 14
Junior/Senior High Schools	45	0	NA
<b>All Schools</b>	<b>207</b>	<b>5</b>	<b>3 - 8</b>
<b>f. Referred to legal authorities</b>			
High Schools	72	11	7 - 18
Middle Schools	91	17	12 - 22
Junior/Senior High Schools	44	2	1 - 8
<b>All Schools</b>	<b>207</b>	<b>11</b>	<b>9 - 15</b>

NA=Not available

N=Unweighted number of observations

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**26 (Always). Percentage of schools that ALWAYS or ALMOST ALWAYS take the following actions when students are caught smoking cigarettes.**

	N	Percent	95% Confidence Interval
<b>g. Placed in detention</b>			
High Schools	72	16	11 - 24
Middle Schools	90	19	14 - 25
Junior/Senior High Schools	43	21	14 - 31
<b>All Schools</b>	<b>205</b>	<b>18</b>	<b>15 - 23</b>
<b>h. Not allowed to participate in extra-curricular activities or interscholastic sports</b>			
High Schools	72	11	7 - 18
Middle Schools	93	17	12 - 23
Junior/Senior High Schools	46	17	11 - 27
<b>All Schools</b>	<b>211</b>	<b>15</b>	<b>12 - 19</b>
<b>i. Given in-school suspension</b>			
High Schools	72	32	25 - 40
Middle Schools	91	32	25 - 40
Junior/Senior High Schools	44	29	21 - 40
<b>All Schools</b>	<b>207</b>	<b>31</b>	<b>27 - 36</b>
<b>j. Suspended from school</b>			
High Schools	72	50	43 - 57
Middle Schools	91	50	44 - 57
Junior/Senior High Schools	45	27	18 - 38
<b>All Schools</b>	<b>208</b>	<b>45</b>	<b>40 - 50</b>
<b>k. Expelled from school</b>			
High Schools	71	0	NA
Middle Schools	93	2	1 - 6
Junior/Senior High Schools	44	0	NA
<b>All Schools</b>	<b>208</b>	<b>1</b>	<b>0 - 2</b>
<b>l. Reassigned to an alternative school</b>			
High Schools	72	0	NA
Middle Schools	93	4	2 - 8
Junior/Senior High Schools	44	0	NA
<b>All Schools</b>	<b>209</b>	<b>2</b>	<b>1 - 4</b>

NA=Not available

N=Unweighted number of observations

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**27. Percentage of schools that post signs marking a tobacco-free school zone, that is, a specified distance from school grounds where tobacco use is not allowed.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	71	87	81 - 92
Middle Schools	95	92	87 - 95
Junior/Senior High Schools	46	92	84 - 96
<b>All Schools</b>	<b>212</b>	<b>90</b>	<b>87 - 93</b>

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**28. Percentage of schools that did the following activities during the past two years.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Gathered and shared information with students and families about mass-media messages or community-based tobacco-use prevention efforts</b>			
High Schools	73	58	49 - 66
Middle Schools	95	61	54 - 68
Junior/Senior High Schools	46	62	53 - 70
<b>All Schools</b>	<b>214</b>	<b>60</b>	<b>55 - 65</b>
<b>b. Worked with local agencies or organizations to plan and implement events or programs intended to reduce tobacco use</b>			
High Schools	71	55	46 - 64
Middle Schools	95	66	59 - 73
Junior/Senior High Schools	45	51	41 - 61
<b>All Schools</b>	<b>211</b>	<b>59</b>	<b>54 - 64</b>

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**29. Percentage of schools that provide tobacco cessation services for each of the following groups.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Faculty and staff</b>			
High Schools	73	14	9 - 21
Middle Schools	96	19	14 - 24
Junior/Senior High Schools	46	13	9 - 18
<b>All Schools</b>	<b>215</b>	<b>16</b>	<b>13 - 19</b>
<b>b. Students</b>			
High Schools	73	15	10 - 23
Middle Schools	95	23	18 - 29
Junior/Senior High Schools	46	13	9 - 18
<b>All Schools</b>	<b>214</b>	<b>18</b>	<b>15 - 22</b>

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**30. Percentage of schools that have arrangements with any organization or health care professionals not on school property to provide tobacco cessation services for each of the following groups.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Faculty and staff</b>			
High Schools	72	15	10 - 22
Middle Schools	96	22	17 - 28
Junior/Senior High Schools	46	17	10 - 28
<b>All Schools</b>	<b>214</b>	<b>19</b>	<b>15 - 23</b>
<b>b. Students</b>			
High Schools	72	14	9 - 20
Middle Schools	96	23	18 - 29
Junior/Senior High Schools	46	22	14 - 33
<b>All Schools</b>	<b>214</b>	<b>20</b>	<b>16 - 24</b>

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**31. Percentage of schools that never, rarely, sometimes, or always or almost always offer fruit or non-fried vegetables at school celebrations when foods or beverages are offered.**

	N	Percent	95% Confidence Interval
<b>a. Foods or beverages are not offered at school celebrations</b>			
High Schools	73	3	1 - 7
Middle Schools	96	3	1 - 7
Junior/Senior High Schools	46	4	2 - 11
<b>All Schools</b>	<b>215</b>	<b>3</b>	<b>2 - 6</b>
<b>b. Never</b>			
High Schools	73	1	0 - 5
Middle Schools	96	0	NA
Junior/Senior High Schools	46	4	2 - 11
<b>All Schools</b>	<b>215</b>	<b>1</b>	<b>1 - 3</b>
<b>c. Rarely</b>			
High Schools	73	8	5 - 14
Middle Schools	96	8	5 - 13
Junior/Senior High Schools	46	9	4 - 17
<b>All Schools</b>	<b>215</b>	<b>8</b>	<b>6 - 12</b>
<b>d. Sometimes</b>			
High Schools	73	51	44 - 58
Middle Schools	96	59	52 - 66
Junior/Senior High Schools	46	58	47 - 68
<b>All Schools</b>	<b>215</b>	<b>56</b>	<b>52 - 61</b>
<b>e. Always or almost always</b>			
High Schools	73	37	30 - 44
Middle Schools	96	29	23 - 37
Junior/Senior High Schools	46	24	16 - 36
<b>All Schools</b>	<b>215</b>	<b>31</b>	<b>27 - 35</b>

NA=Not available

N=Unweighted number of observations

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**32. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	72	78	72 - 83
Middle Schools	96	52	44 - 60
Junior/Senior High Schools	46	85	77 - 90
<b>All Schools</b>	<b>214</b>	<b>68</b>	<b>64 - 72</b>

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**33. Percentage of all schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.**

	N	Percent	95% Confidence Interval
<b>a. Chocolate candy</b>			
High Schools	71	20	14 - 28
Middle Schools	95	4	3 - 7
Junior/Senior High Schools	46	22	14 - 32
<b>All Schools</b>	<b>212</b>	<b>13</b>	<b>11 - 17</b>
<b>b. Other kinds of candy</b>			
High Schools	70	30	22 - 39
Middle Schools	95	10	6 - 14
Junior/Senior High Schools	46	35	25 - 45
<b>All Schools</b>	<b>211</b>	<b>22</b>	<b>18 - 26</b>
<b>c. Salty snacks that are not low in fat, such as regular potato chips</b>			
High Schools	71	24	18 - 31
Middle Schools	95	9	6 - 14
Junior/Senior High Schools	46	19	12 - 30
<b>All Schools</b>	<b>212</b>	<b>17</b>	<b>13 - 20</b>
<b>d. Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat</b>			
High Schools	71	27	21 - 33
Middle Schools	95	7	4 - 12
Junior/Senior High Schools	46	26	17 - 36
<b>All Schools</b>	<b>212</b>	<b>18</b>	<b>15 - 22</b>
<b>e. Ice cream or frozen yogurt that is not low in fat</b>			
High Schools	71	14	9 - 20
Middle Schools	95	13	9 - 19
Junior/Senior High Schools	46	15	9 - 25
<b>All Schools</b>	<b>212</b>	<b>14</b>	<b>11 - 17</b>
<b>f. 2% or whole milk (plain or flavored)</b>			
High Schools	71	28	21 - 36
Middle Schools	95	21	16 - 27
Junior/Senior High Schools	46	37	28 - 47
<b>All Schools</b>	<b>212</b>	<b>27</b>	<b>23 - 31</b>

NA=Not available

N=Unweighted number of observations

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**33. Percentage of all schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.**

	N	Percent	95% Confidence Interval
<b>g. Water ices or frozen slushes that do not contain juice</b>			
High Schools	71	19	13 - 25
Middle Schools	94	11	7 - 15
Junior/Senior High Schools	46	13	7 - 22
<b>All Schools</b>	<b>211</b>	<b>14</b>	<b>11 - 17</b>
<b>h. Soda pop or fruit drinks that are not 100% juice</b>			
High Schools	71	34	27 - 41
Middle Schools	94	13	9 - 17
Junior/Senior High Schools	46	37	28 - 48
<b>All Schools</b>	<b>211</b>	<b>25</b>	<b>22 - 29</b>
<b>i. Sports drinks, such as Gatorade</b>			
High Schools	71	68	60 - 74
Middle Schools	95	29	24 - 36
Junior/Senior High Schools	46	78	68 - 86
<b>All Schools</b>	<b>212</b>	<b>53</b>	<b>49 - 57</b>
<b>j. Foods or beverages containing caffeine</b>			
High Schools	71	42	36 - 50
Middle Schools	94	7	5 - 10
Junior/Senior High Schools	44	44	35 - 52
<b>All Schools</b>	<b>209</b>	<b>27</b>	<b>24 - 31</b>
<b>k. Fruits (not fruit juice)</b>			
High Schools	71	20	14 - 27
Middle Schools	95	14	9 - 20
Junior/Senior High Schools	45	9	4 - 18
<b>All Schools</b>	<b>211</b>	<b>15</b>	<b>12 - 18</b>
<b>l. Non-fried vegetables (not vegetable juice)</b>			
High Schools	70	13	8 - 19
Middle Schools	95	12	8 - 18
Junior/Senior High Schools	44	11	6 - 20
<b>All Schools</b>	<b>209</b>	<b>12</b>	<b>9 - 16</b>

NA=Not available

N=Unweighted number of observations

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**34. Percentage of all schools that limit the package or serving size of any individual food and beverage items sold in vending machines or at the school store, canteen, or snack bar.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	69	55	47 - 64
Middle Schools	95	40	32 - 48
Junior/Senior High Schools	46	70	59 - 79
<b>All Schools</b>	<b>210</b>	<b>52</b>	<b>47 - 57</b>

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**35. Percentage of schools that have done any of the following activities during this school year.**

	N	Percent	95% Confidence Interval
<b>a. Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages</b>			
High Schools	73	9	5 - 13
Middle Schools	93	16	11 - 23
Junior/Senior High Schools	46	13	7 - 23
<b>All Schools</b>	<b>212</b>	<b>13</b>	<b>10 - 17</b>
<b>b. Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating</b>			
High Schools	72	56	47 - 65
Middle Schools	93	46	39 - 54
Junior/Senior High Schools	46	52	41 - 62
<b>All Schools</b>	<b>211</b>	<b>51</b>	<b>46 - 56</b>
<b>c. Provided information to students or families on the nutrition and caloric content of foods available</b>			
High Schools	71	54	45 - 63
Middle Schools	94	53	46 - 60
Junior/Senior High Schools	46	41	32 - 52
<b>All Schools</b>	<b>211</b>	<b>51</b>	<b>46 - 55</b>
<b>d. Conducted taste tests to determine food preferences for nutritious items</b>			
High Schools	72	18	13 - 26
Middle Schools	92	13	9 - 18
Junior/Senior High Schools	46	11	6 - 20
<b>All Schools</b>	<b>210</b>	<b>14</b>	<b>11 - 18</b>
<b>e. Provided opportunities for students to visit the cafeteria to learn about food safety, food preparation, or other nutrition-related topics</b>			
High Schools	72	17	11 - 25
Middle Schools	93	12	8 - 17
Junior/Senior High Schools	46	13	7 - 23
<b>All Schools</b>	<b>211</b>	<b>14</b>	<b>11 - 18</b>

NA=Not available

N=Unweighted number of observations

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**36. Percentage of schools that promote candy, meals from fast food restaurants, or soft drinks to students through the distribution of products, such as t-shirts, hats, and book covers.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	73	1	0 - 5
Middle Schools	95	4	2 - 8
Junior/Senior High Schools	44	7	3 - 14
<b>All Schools</b>	<b>212</b>	<b>4</b>	<b>2 - 6</b>

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**37. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. In the school building</b>			
High Schools	73	70	61 - 77
Middle Schools	96	75	68 - 80
Junior/Senior High Schools	46	83	72 - 90
<b>All Schools</b>	<b>215</b>	<b>75</b>	<b>70 - 79</b>
<b>b. On school grounds including on the outside of the school building, on playing fields, or other areas of the campus</b>			
High Schools	73	55	47 - 63
Middle Schools	96	63	57 - 69
Junior/Senior High Schools	46	59	51 - 67
<b>All Schools</b>	<b>215</b>	<b>60</b>	<b>55 - 64</b>
<b>c. On school buses or other vehicles used to transport students</b>			
High Schools	73	79	71 - 86
Middle Schools	96	77	70 - 82
Junior/Senior High Schools	46	87	78 - 93
<b>All Schools</b>	<b>215</b>	<b>80</b>	<b>76 - 84</b>
<b>d. In school publications (e.g., newsletters, newspapers, web sites, or other school publications)</b>			
High Schools	73	56	48 - 64
Middle Schools	96	69	61 - 75
Junior/Senior High Schools	46	70	58 - 80
<b>All Schools</b>	<b>215</b>	<b>65</b>	<b>60 - 69</b>

NA=Not available

N=Unweighted number of observations

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**38. Percentage of schools that have a full-time registered nurse who provides health services to students.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	73	39	31 - 47
Middle Schools	96	43	35 - 50
Junior/Senior High Schools	45	38	28 - 49
<b>All Schools</b>	<b>214</b>	<b>40</b>	<b>35 - 45</b>

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**39. Percentage of schools in which each of the following sources of school health information are used to identify students diagnosed with chronic health conditions such as asthma.**

	N	Percent	95% Confidence Interval
<b>a. This school does not identify students diagnosed with chronic health conditions such as asthma</b>			
High Schools	70	1	0 - 5
Middle Schools	95	2	1 - 6
Junior/Senior High Schools	42	2	1 - 10
<b>All Schools</b>	<b>207</b>	<b>2</b>	<b>1 - 4</b>
<b>b. Student emergency cards</b>			
High Schools	72	75	67 - 81
Middle Schools	95	65	58 - 72
Junior/Senior High Schools	42	72	60 - 81
<b>All Schools</b>	<b>209</b>	<b>70</b>	<b>65 - 74</b>
<b>c. Medication records</b>			
High Schools	72	67	59 - 74
Middle Schools	95	66	59 - 72
Junior/Senior High Schools	43	51	40 - 62
<b>All Schools</b>	<b>210</b>	<b>63</b>	<b>58 - 68</b>
<b>d. Health room visit information</b>			
High Schools	72	10	6 - 16
Middle Schools	96	21	15 - 28
Junior/Senior High Schools	46	15	9 - 25
<b>All Schools</b>	<b>214</b>	<b>16</b>	<b>12 - 20</b>
<b>e. Emergency care plans</b>			
High Schools	73	23	17 - 31
Middle Schools	97	21	16 - 28
Junior/Senior High Schools	44	32	23 - 41
<b>All Schools</b>	<b>214</b>	<b>24</b>	<b>20 - 28</b>
<b>f. Physical exam records</b>			
High Schools	72	28	22 - 36
Middle Schools	96	22	16 - 28
Junior/Senior High Schools	44	32	24 - 41
<b>All Schools</b>	<b>212</b>	<b>26</b>	<b>22 - 30</b>

NA=Not available

N=Unweighted number of observations

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**39. Percentage of schools in which each of the following sources of school health information are used to identify students diagnosed with chronic health conditions such as asthma.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>g. Notes from parents</b>			
High Schools	70	87	81 - 92
Middle Schools	95	83	77 - 88
Junior/Senior High Schools	42	90	81 - 95
<b>All Schools</b>	<b>207</b>	<b>86</b>	<b>82 - 89</b>
<b>h. Other</b>			
High Schools	72	27	20 - 35
Middle Schools	97	21	16 - 27
Junior/Senior High Schools	45	13	7 - 23
<b>All Schools</b>	<b>214</b>	<b>21</b>	<b>17 - 25</b>

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**40. Percentage of schools that have an asthma action plan on file for all, most, some, or no students with known asthma.**

	N	Percent	95% Confidence Interval
<b>a. School has no students with known asthma</b>			
High Schools	73	7	4 - 13
Middle Schools	95	4	2 - 8
Junior/Senior High Schools	45	7	4 - 11
<b>All Schools</b>	<b>213</b>	<b>6</b>	<b>4 - 8</b>
<b>b. All students with known asthma have an asthma action plan on file</b>			
High Schools	73	38	31 - 47
Middle Schools	95	39	32 - 47
Junior/Senior High Schools	45	29	21 - 38
<b>All Schools</b>	<b>213</b>	<b>37</b>	<b>32 - 41</b>
<b>c. Most students with known asthma have an asthma action plan on file</b>			
High Schools	73	19	14 - 24
Middle Schools	95	20	15 - 27
Junior/Senior High Schools	45	18	11 - 28
<b>All Schools</b>	<b>213</b>	<b>19</b>	<b>16 - 23</b>
<b>d. Some students with known asthma have an asthma action plan on file</b>			
High Schools	73	23	17 - 31
Middle Schools	95	21	16 - 27
Junior/Senior High Schools	45	27	18 - 38
<b>All Schools</b>	<b>213</b>	<b>23</b>	<b>19 - 27</b>
<b>e. No students with known asthma have an asthma action plan on file</b>			
High Schools	73	12	8 - 18
Middle Schools	95	16	11 - 23
Junior/Senior High Schools	45	20	13 - 29
<b>All Schools</b>	<b>213</b>	<b>16</b>	<b>12 - 19</b>

NA=Not available

N=Unweighted number of observations

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**41. Percentage of schools that use each of the following types of information to identify students with poorly controlled asthma.**

	N	Percent	95% Confidence Interval
<b>a. School does not identify students with poorly controlled asthma</b>			
High Schools	72	32	25 - 40
Middle Schools	94	16	11 - 22
Junior/Senior High Schools	46	26	18 - 36
<b>All Schools</b>	<b>212</b>	<b>24</b>	<b>20 - 28</b>
<b>b. Frequent absences from school</b>			
High Schools	72	26	20 - 34
Middle Schools	96	33	27 - 40
Junior/Senior High Schools	46	24	16 - 35
<b>All Schools</b>	<b>214</b>	<b>29</b>	<b>25 - 33</b>
<b>c. Frequent visits to the school health office due to asthma</b>			
High Schools	73	34	27 - 42
Middle Schools	95	44	38 - 51
Junior/Senior High Schools	46	39	29 - 50
<b>All Schools</b>	<b>214</b>	<b>40</b>	<b>35 - 44</b>
<b>d. Frequent asthma symptoms at school</b>			
High Schools	73	45	37 - 53
Middle Schools	94	54	48 - 61
Junior/Senior High Schools	46	39	30 - 49
<b>All Schools</b>	<b>213</b>	<b>48</b>	<b>43 - 52</b>
<b>e. Frequent non-participation in physical education class due to asthma</b>			
High Schools	73	19	14 - 26
Middle Schools	96	29	24 - 35
Junior/Senior High Schools	46	13	8 - 21
<b>All Schools</b>	<b>215</b>	<b>22</b>	<b>19 - 26</b>
<b>f. Students sent home early due to asthma</b>			
High Schools	73	26	20 - 33
Middle Schools	95	35	28 - 42
Junior/Senior High Schools	46	26	19 - 35
<b>All Schools</b>	<b>214</b>	<b>30</b>	<b>26 - 34</b>

NA=Not available

N=Unweighted number of observations

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**41. Percentage of schools that use each of the following types of information to identify students with poorly controlled asthma.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>g. Calls from school to 911, or other local emergency numbers, due to asthma</b>			
High Schools	73	12	9 - 16
Middle Schools	97	13	8 - 19
Junior/Senior High Schools	46	7	3 - 14
<b>All Schools</b>	<b>216</b>	<b>11</b>	<b>9 - 14</b>

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**42. Percentage of schools that provide each of the following services for students with poorly controlled asthma.**

	N	Percent	95% Confidence Interval
<b>a. Providing referrals to primary healthcare clinicians or child health insurance programs</b>			
High Schools	70	40	33 - 47
Middle Schools	90	49	42 - 56
Junior/Senior High Schools	40	32	24 - 43
<b>All Schools</b>	<b>200</b>	<b>42</b>	<b>38 - 47</b>
<b>b. Ensuring an appropriate written asthma action plan is obtained</b>			
High Schools	67	48	39 - 57
Middle Schools	90	68	59 - 75
Junior/Senior High Schools	41	46	37 - 56
<b>All Schools</b>	<b>198</b>	<b>56</b>	<b>51 - 61</b>
<b>c. Ensuring access to and appropriate use of asthma medications, spacers, and peak flow meters at school</b>			
High Schools	69	62	53 - 71
Middle Schools	93	83	77 - 88
Junior/Senior High Schools	38	79	70 - 86
<b>All Schools</b>	<b>200</b>	<b>75</b>	<b>70 - 79</b>
<b>d. Offering asthma education for the student with asthma and his/her family</b>			
High Schools	67	22	16 - 30
Middle Schools	90	33	27 - 40
Junior/Senior High Schools	40	35	25 - 47
<b>All Schools</b>	<b>197</b>	<b>30</b>	<b>26 - 35</b>
<b>e. Minimizing asthma triggers in the school environment</b>			
High Schools	70	60	52 - 68
Middle Schools	92	69	61 - 75
Junior/Senior High Schools	40	50	37 - 63
<b>All Schools</b>	<b>202</b>	<b>62</b>	<b>57 - 67</b>
<b>f. Addressing social and emotional issues related to asthma</b>			
High Schools	67	33	25 - 41
Middle Schools	91	41	34 - 48
Junior/Senior High Schools	39	28	18 - 41
<b>All Schools</b>	<b>197</b>	<b>35</b>	<b>31 - 40</b>

NA=Not available

N=Unweighted number of observations

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**42. Percentage of schools that provide each of the following services for students with poorly controlled asthma.**

	N	Percent	95% Confidence Interval
<b>g. Providing additional psychosocial counseling or support services as needed</b>			
High Schools	68	31	23 - 40
Middle Schools	90	43	36 - 51
Junior/Senior High Schools	41	39	29 - 50
<b>All Schools</b>	<b>199</b>	<b>38</b>	<b>33 - 43</b>
<b>h. Ensuring access to safe, enjoyable physical education and activity opportunities</b>			
High Schools	70	67	58 - 75
Middle Schools	91	86	80 - 90
Junior/Senior High Schools	43	79	70 - 86
<b>All Schools</b>	<b>204</b>	<b>78</b>	<b>74 - 82</b>
<b>i. Ensuring access to preventive medications before physical activity</b>			
High Schools	70	60	51 - 68
Middle Schools	92	76	69 - 82
Junior/Senior High Schools	42	74	63 - 82
<b>All Schools</b>	<b>204</b>	<b>70</b>	<b>65 - 75</b>

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**43. Percentage of schools that have a designated and secure storage location for medications, including quick-relief asthma medications.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	73	85	77 - 90
Middle Schools	96	94	89 - 97
Junior/Senior High Schools	46	87	78 - 93
<b>All Schools</b>	<b>215</b>	<b>89</b>	<b>86 - 92</b>

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**44. Percentage of schools with a designated and secure storage location for medications that is accessible at all times by the school nurse or her designee.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	60	100	NA
Middle Schools	88	100	NA
Junior/Senior High Schools	38	100	NA
<b>All Schools</b>	<b>186</b>	<b>100</b>	<b>NA</b>

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**45. Percentage of schools in which school staff members are required to receive training on recognizing and responding to severe asthma symptoms more than once per year, once per year, or less than once per year.**

	N	Percent	95% Confidence Interval
<b>a. More than once per year</b>			
High Schools	72	3	1 - 7
Middle Schools	95	4	2 - 8
Junior/Senior High Schools	46	0	NA
<b>All Schools</b>	<b>213</b>	<b>3</b>	<b>2 - 5</b>
<b>b. Once per year</b>			
High Schools	72	24	17 - 32
Middle Schools	95	28	22 - 35
Junior/Senior High Schools	46	15	9 - 25
<b>All Schools</b>	<b>213</b>	<b>24</b>	<b>20 - 28</b>
<b>c. Less than once per year</b>			
High Schools	72	10	6 - 15
Middle Schools	95	11	7 - 16
Junior/Senior High Schools	46	20	12 - 30
<b>All Schools</b>	<b>213</b>	<b>12</b>	<b>10 - 16</b>
<b>d. No such requirement</b>			
High Schools	72	64	55 - 72
Middle Schools	95	57	50 - 64
Junior/Senior High Schools	46	65	52 - 76
<b>All Schools</b>	<b>213</b>	<b>61</b>	<b>56 - 66</b>

NA=Not available

N=Unweighted number of observations

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**46. Percentage of schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	73	63	55 - 70
Middle Schools	95	71	64 - 77
Junior/Senior High Schools	44	64	54 - 72
<b>All Schools</b>	<b>212</b>	<b>66</b>	<b>62 - 71</b>

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**47. Percentage of schools that have procedures to inform each of the following groups about the policy permitting students to carry and self-administer asthma medications.\***

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Students</b>			
High Schools	44	98	92 - 99
Middle Schools	66	94	88 - 97
Junior/Senior High Schools	28	89	78 - 95
<b>All Schools</b>	<b>138</b>	<b>94</b>	<b>91 - 96</b>
<b>b. Parents/families</b>			
High Schools	44	98	92 - 99
Middle Schools	65	95	93 - 97
Junior/Senior High Schools	26	88	75 - 95
<b>All Schools</b>	<b>135</b>	<b>95</b>	<b>92 - 97</b>

\*Among schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.  
NA=Not available  
N=Unweighted number of observations

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**48. Percentage of schools that have the following person responsible for implementing the policy permitting students to carry and self-administer asthma medication.\***

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. No single individual is responsible</b>			
High Schools	36	31	20 - 44
Middle Schools	58	26	19 - 34
Junior/Senior High Schools	27	22	14 - 32
<b>All Schools</b>	<b>121</b>	<b>26</b>	<b>21 - 32</b>
<b>b. Principal</b>			
High Schools	36	38	28 - 51
Middle Schools	58	35	26 - 44
Junior/Senior High Schools	27	40	28 - 54
<b>All Schools</b>	<b>121</b>	<b>37</b>	<b>31 - 43</b>
<b>c. Assistant principal</b>			
High Schools	36	0	NA
Middle Schools	58	0	NA
Junior/Senior High Schools	27	0	NA
<b>All Schools</b>	<b>121</b>	<b>0</b>	<b>NA</b>
<b>d. School nurse</b>			
High Schools	36	25	16 - 37
Middle Schools	58	33	25 - 41
Junior/Senior High Schools	27	34	24 - 46
<b>All Schools</b>	<b>121</b>	<b>31</b>	<b>26 - 37</b>
<b>e. Other school faculty or staff member</b>			
High Schools	36	5	2 - 13
Middle Schools	58	7	4 - 14
Junior/Senior High Schools	27	4	1 - 15
<b>All Schools</b>	<b>121</b>	<b>6</b>	<b>3 - 10</b>

\*Among schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.

NA=Not available

N=Unweighted number of observations

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**49. Percentage of schools in which students' families helped develop or implement policies and programs related to the following topics during the past two years.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. HIV, STD, or teen pregnancy prevention</b>			
High Schools	71	14	9 - 21
Middle Schools	95	20	15 - 26
Junior/Senior High Schools	45	13	7 - 23
<b>All Schools</b>	<b>211</b>	<b>16</b>	<b>13 - 21</b>
<b>b. Tobacco-use prevention</b>			
High Schools	72	26	19 - 35
Middle Schools	94	33	27 - 40
Junior/Senior High Schools	45	29	21 - 38
<b>All Schools</b>	<b>211</b>	<b>30</b>	<b>26 - 34</b>
<b>c. Physical activity</b>			
High Schools	73	33	24 - 43
Middle Schools	94	46	38 - 53
Junior/Senior High Schools	46	30	22 - 40
<b>All Schools</b>	<b>213</b>	<b>38</b>	<b>33 - 43</b>
<b>d. Nutrition and healthy eating</b>			
High Schools	72	44	36 - 53
Middle Schools	96	58	51 - 65
Junior/Senior High Schools	45	46	36 - 57
<b>All Schools</b>	<b>213</b>	<b>51</b>	<b>46 - 56</b>
<b>e. Asthma</b>			
High Schools	72	14	9 - 21
Middle Schools	95	15	10 - 21
Junior/Senior High Schools	45	13	7 - 23
<b>All Schools</b>	<b>212</b>	<b>14</b>	<b>11 - 18</b>

NA=Not available

N=Unweighted number of observations

**Mississippi  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**50. Percentage of schools in which community members helped develop or implement policies and programs related to the following topics during the past two years.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. HIV, STD, or teen pregnancy prevention</b>			
High Schools	72	35	27 - 43
Middle Schools	95	33	26 - 40
Junior/Senior High Schools	45	22	14 - 34
<b>All Schools</b>	<b>212</b>	<b>31</b>	<b>27 - 36</b>
<b>b. Tobacco-use prevention</b>			
High Schools	73	34	27 - 43
Middle Schools	95	45	38 - 52
Junior/Senior High Schools	46	35	26 - 45
<b>All Schools</b>	<b>214</b>	<b>39</b>	<b>35 - 44</b>
<b>c. Physical activity</b>			
High Schools	72	36	27 - 46
Middle Schools	95	51	44 - 58
Junior/Senior High Schools	46	34	26 - 44
<b>All Schools</b>	<b>213</b>	<b>42</b>	<b>38 - 47</b>
<b>d. Nutrition and healthy eating</b>			
High Schools	72	50	42 - 59
Middle Schools	97	62	54 - 69
Junior/Senior High Schools	46	52	42 - 61
<b>All Schools</b>	<b>215</b>	<b>56</b>	<b>51 - 60</b>
<b>e. Asthma</b>			
High Schools	73	22	15 - 30
Middle Schools	96	17	12 - 23
Junior/Senior High Schools	45	11	6 - 20
<b>All Schools</b>	<b>214</b>	<b>17</b>	<b>14 - 21</b>

NA=Not available

N=Unweighted number of observations